

VERS-CLEAR (03) FIXTURES - LINEAR



FINISH

SATIN



SATIN ANODIZED
MATTE FINISH
METAL ENDCAPS

BLACK



BLACK ANODIZED
MATTE FINISH
METAL ENDCAPS


BRONZE



BRONZE ANODIZED
MATTE FINISH
METAL ENDCAPS


MOUNTING - HARDWARE

Concealed Clip



2 pieces of hardware provided for 4' or less;
4 pieces of hardware provided for
greater than 4'

Magnetic




2 pieces of hardware provided for 4' or less;
4 pieces of hardware provided for
greater than 4'

LENS: with LED visibility

CL Clear




LIGHT ORIENTATION




SYMMETRICAL

INPUT/OUTPUT


S1 - Input only




P1 - Input/Output




S2 - Input only



P2 - Input/Output





VERS-CLEAR (03) FIXTURES - LINEAR






CONNECTORS/WIRE

BW

CON6

CON24



BARE WIRE

INDOOR

- 22 AWG
- DRY / DMP
- 36" Standard length

OUTDOOR


- 22 AWG
- WET
- 36" Standard length

CONNECTOR 6"

- 22 AWG
- Indoor rated
- 6" Standard length

CONNECTOR 24"

- 22 AWG
- Indoor rated
- 24" Standard length



VERS-CLEAR (03)

FIXTURES - LINEAR






1.5 W/ft

VERS-03-SW-1.5-30-DRY-CL

3123 K

CRI: 97.5
 CRI R9: 98.3
 TM30 Rf: 93.7
 TM30 Rg: 100.4
 CQS: 95.1
 X: 0.425
 Y: 0.394
 U: 0.247
 V: 0.344
 Δuv: -0.0024



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
97.0	97.7	98.5	98.8	97.3	95.5	97.3	98.0	98.3	97.4	97.3	82.7	96.9	98.1	97.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
92.5	96.5	92.5	92.1	94.1	96.6	96.4	97.0	97.8	97.8	97.7	98.1	98.0	95.5	94.8	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.3	97.2	96.6	93.9	93.2	97.2	92.1	96.9	92.1	89.7	91.0	91.8	94.5	92.9	91.9	90.7




TM30			
Hue Bin	R _f	Chroma	Hue
1	95	0%	1%
2	97	0%	0%
3	97	0%	0%
4	94	-3%	-2%
5	93	-5%	0%
6	97	-1%	1%
7	92	-3%	4%
8	97	0%	2%
9	92	1%	6%
10	90	2%	6%
11	91	4%	5%
12	92	5%	-1%
13	95	1%	-4%
14	93	3%	-4%
15	92	-1%	-1%
16	91	2%	-7%

3.0 W/ft

VERS-03-SW-3.0-30-DRY-CL

3123 K

CRI: 97.7
 CRI R9: 98.4
 TM30 Rf: 94.1
 TM30 Rg: 101.1
 CQS: 95.1
 X: 0.425
 Y: 0.393
 U: 0.248
 V: 0.343
 Δuv: -0.0027



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
97.2	98.1	98.0	98.9	97.6	95.8	97.8	98.5	98.4	98.2	96.6	83.1	97.2	97.8	97.3	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
93.7	96.9	91.6	91.8	94.8	98.0	95.2	96.5	97.6	97.1	97.1	97.7	97.8	95.7	95.4	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.8	97.4	96.5	95.0	93.5	97.2	93.1	97.9	93.3	90.5	90.8	91.9	95.0	92.9	92.3	90.3




TM30			
Hue Bin	R _f	Chroma	Hue
1	96	0%	1%
2	97	0%	0%
3	97	0%	0%
4	95	-2%	-1%
5	94	-4%	0%
6	97	0%	1%
7	93	-2%	3%
8	98	0%	1%
9	93	1%	5%
10	91	1%	6%
11	91	3%	6%
12	92	6%	0%
13	95	1%	-3%
14	93	4%	-4%
15	92	0%	-2%
16	90	2%	-8%

4.0 W/ft

VERS-03-SW-4.0-30-DRY-CL

3120 K

CRI: 98.1
 CRI R9: 96.9
 TM30 Rf: 94.2
 TM30 Rg: 100.7
 CQS: 95.4
 X: 0.427
 Y: 0.397
 U: 0.247
 V: 0.345
 Δuv: -0.0014




R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
97.9	98.9	97.4	99.0	98.2	96.7	98.1	98.2	96.9	99.6	96.7	83.3	98.0	97.5	98.1	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
93.4	96.8	92.2	92.4	95.1	98.0	95.9	97.1	97.6	97.5	97.8	98.5	98.5	96.2	95.5	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.9	97.7	96.8	94.8	93.6	97.3	93.2	97.7	93.4	90.6	91.1	92.1	95.0	93.0	92.3	90.4

TM30			
Hue Bin	R _f	Chroma	Hue
1	96	-1%	1%
2	98	0%	0%
3	97	0%	0%
4	95	-2%	-2%
5	94	-5%	0%
6	97	0%	1%
7	93	-2%	3%
8	98	0%	1%
9	93	0%	5%
10	91	1%	6%
11	91	3%	5%
12	92	5%	0%
13	95	1%	-3%
14	93	4%	-4%
15	92	0%	-2%
16	90	2%	-8%

NOTES:

- CRI R values, only R1-R8 are used to calculate RA CRI values
- TM30 C values, 16 binned values out of total of 99 C values
- CQS Q values
- Data subject to change, all data has +/- 5% tolerance



VERS-CLEAR (03) FIXTURES - LINEAR






5.0 W/ft

VERS-03-SW-5.0-30-DRY-CL

3131 K

CRI: 98.4
 CRI R9: 95.7
 TM30 Rf: 94.2
 TM30 Rg: 100.7
 CQS: 95.4
 X: 0.427
 Y: 0.399
 U: 0.246
 V: 0.345
 Δuv: -0.0006



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.5	99.7	96.4	99.1	98.8	97.4	98.6	98.2	95.7	98.1	96.9	82.6	98.7	97.0	98.4	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
93.6	97.0	91.8	92.2	95.3	98.0	95.8	97.4	97.2	97.2	97.9	98.3	98.2	96.6	95.7	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.1	97.9	96.8	95.0	93.5	97.3	93.5	97.9	93.7	90.5	90.7	92.2	95.4	92.9	92.4	90.0




TM30			
Hue Bin	R _f	Chroma	Hue
1	96	-1%	1%
2	98	0%	0%
3	97	0%	0%
4	95	-2%	-1%
5	94	-4%	1%
6	97	0%	1%
7	93	-2%	3%
8	98	0%	1%
9	94	0%	4%
10	91	1%	6%
11	91	3%	6%
12	92	5%	0%
13	95	1%	-3%
14	93	4%	-4%
15	92	0%	-2%
16	90	2%	-8%

6.0 W/ft

VERS-03-SW-6.0-30-DRY-CL

3111 K

CRI: 98.3
 CRI R9: 94.9
 TM30 Rf: 94.9
 TM30 Rg: 101.3
 CQS: 95.6
 X: 0.428
 Y: 0.399
 U: 0.247
 V: 0.345
 Δuv: -0.0007



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.6	99.7	96.0	98.4	99.2	97.5	98.9	98.3	94.9	97.6	96.1	84.5	98.8	96.8	98.9	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.9	97.2	91.8	92.9	96.5	97.1	95.0	97.2	97.1	96.8	97.7	98.4	98.3	96.7	96.2	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.8	98.1	96.8	96.2	94.1	97.1	94.3	98.3	95.4	92.3	91.5	92.5	95.6	93.1	93.1	90.2




TM30			
Hue Bin	R _f	Chroma	Hue
1	97	-1%	0%
2	98	0%	0%
3	97	0%	1%
4	96	-2%	-1%
5	94	-3%	1%
6	97	1%	1%
7	94	-1%	2%
8	98	1%	0%
9	95	0%	3%
10	92	0%	5%
11	91	2%	6%
12	92	5%	0%
13	96	2%	-2%
14	93	4%	-4%
15	93	1%	-2%
16	90	2%	-8%

7.5 W/ft

VERS-03-SW-7.5-30-DRY-CL

3139 K

CRI: 98.3
 CRI R9: 95.3
 TM30 Rf: 95.2
 TM30 Rg: 101.5
 CQS: 95.8
 X: 0.426
 Y: 0.398
 U: 0.246
 V: 0.345
 Δuv: -0.0008




R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.6	99.6	96.1	98.1	99.3	97.6	98.9	98.5	95.3	97.7	95.9	85.6	98.9	96.8	99.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
95.4	97.4	92.0	93.3	97.0	96.7	95.0	97.3	97.1	96.8	97.7	98.5	98.4	96.8	96.5	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
97.0	98.3	96.9	96.7	94.5	97.0	94.8	98.3	96.0	93.1	91.9	92.7	95.7	93.3	93.5	90.5

TM30			
Hue Bin	R _f	Chroma	Hue
1	97	-1%	0%
2	98	0%	0%
3	97	0%	1%
4	97	-1%	0%
5	94	-3%	1%
6	97	1%	1%
7	95	-1%	1%
8	98	1%	0%
9	96	0%	3%
10	93	0%	4%
11	92	2%	5%
12	93	5%	0%
13	96	2%	-2%
14	93	4%	-3%
15	94	1%	-2%
16	90	2%	-8%

NOTES:

- CRI R values, only R1-R8 are used to calculate RA CRI values
- TM30 C values, 16 binned values out of total of 99 C values
- CQS Q values
- Data subject to change, all data has +/- 5% tolerance



VERS-CLEAR (03) FIXTURES - LINEAR



6.0 High Efficacy

VERS-03-SW-6.0HE-30-DRY-CL

3128 K

CRI: 98.0

CRI R9: 95.9

TM30 Rf: 93.3

TM30 Rg: 99.8

CQS: 95.0




X: 0.427

Y: 0.399

U: 0.247

V: 0.345

$\Delta u v$: -0.0007



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.2	99.0	97.7	99.0	98.1	96.9	97.5	97.4	95.9	99.8	97.8	81.4	98.2	97.7	97.9	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
91.9	96.5	92.4	91.8	93.8	96.2	96.8	97.5	97.6	97.9	98.3	98.2	98.4	96.2	94.8	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.0	97.3	96.7	93.3	92.7	97.0	91.2	96.4	91.7	88.7	90.3	91.8	94.6	92.6	91.4	90.1

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-1%	1%
2	97	0%	0%
3	97	0%	0%
4	93	-3%	-2%
5	93	-6%	0%
6	97	-1%	1%
7	91	-4%	4%
8	96	0%	2%
9	92	0%	6%
10	89	2%	7%
11	90	4%	6%
12	92	6%	-1%
13	95	1%	-4%
14	93	3%	-4%
15	91	-1%	-1%
16	90	2%	-8%

9.0 High Efficacy

VERS-03-SW-9.0HE-30-DRY-CL

3112 K

CRI: 97.9

CRI R9: 95.8

TM30 Rf: 93.2

TM30 Rg: 99.6

CQS: 95.1




X: 0.429

Y: 0.400

U: 0.247

V: 0.346

$\Delta u v$: -0.0005



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.1	99.0	97.8	98.8	98.0	96.9	97.3	97.3	95.8	99.8	97.6	82.1	98.1	97.7	97.9	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
91.6	96.3	93.0	92.3	93.8	95.9	97.3	97.8	97.7	98.2	98.5	97.8	98.1	96.2	94.7	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
94.9	97.3	96.6	93.1	92.6	96.8	90.8	96.0	91.5	88.9	90.7	91.9	94.4	92.7	91.4	90.3

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-1%	1%
2	97	0%	-1%
3	97	0%	-1%
4	93	-4%	-3%
5	93	-6%	0%
6	97	-1%	1%
7	91	-4%	5%
8	96	0%	3%
9	92	0%	6%
10	89	2%	7%
11	91	4%	5%
12	92	5%	-1%
13	94	1%	-4%
14	93	3%	-4%
15	91	-1%	-1%
16	90	2%	-8%

6.0 Dynamic White

VERS-03-DW-6.0-30-DRY-CL

3047 K

CRI: 97.8

CRI R9: 98.0

TM30 Rf: 94.8

TM30 Rg: 102.4

CQS: 95.1




X: 0.430

Y: 0.395

U: 0.250

V: 0.344

$\Delta u v$: -0.0028



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
97.5	98.7	96.6	97.4	98.1	96.4	98.4	99.3	98.0	98.9	94.9	85.2	97.5	97.0	97.9	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
95.8	97.4	90.7	92.4	96.8	95.7	93.2	95.9	97.1	96.1	96.5	97.3	97.6	95.9	96.5	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.9	97.9	96.0	96.7	93.9	96.0	94.0	98.0	96.0	93.1	91.2	92.0	95.3	92.8	93.2	89.9

TM30			
Hue Bin	R _f	Chroma	Hue
1	97	0%	0%
2	98	0%	0%
3	96	1%	1%
4	97	-1%	0%
5	94	-2%	1%
6	96	2%	1%
7	94	0%	1%
8	98	1%	0%
9	96	1%	3%
10	93	1%	4%
11	91	3%	6%
12	92	5%	1%
13	95	2%	-2%
14	93	5%	-3%
15	93	1%	-2%
16	90	3%	-8%

NOTES:

- CRI R values, only R1-R8 are used to calculate RA CRI values
- TM30 C values, 16 binned values out of total of 99 C values
- CQS Q values
- Data subject to change, all data has +/- 5% tolerance