




LUME-01-SW Q-CAP Flexible Fixtures



2400K SO ENC/TL

2429 K

CRI: 92.1
 CRI R9: 63.7
 TM30 Rf: 91.6
 TM30 Rg: 100.6
 CQS: 88.0
 X: 0.486
 Y: 0.418
 U: 0.276
 V: 0.356
 Δuv: 0.0012






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
92.7	94.5	93.7	93.3	91.2	93.0	94.0	84.2	63.7	85.0	93.3	78.7	93.0	95.0	89.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
86.5	93.4	85.9	86.2	87.9	86.4	85.9	89.5	93.7	90.5	89.7	90.4	90.7	85.3	85.6	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
91.9	92.1	87.5	92.5	93.8	93.3	92.8	94.9	94.8	90.8	89.0	89.3	92.1	87.7	93.1	88.4

TM30			
Hue Bin	R _f	Chroma	Hue
1	92	-4%	-1%
2	92	-4%	3%
3	88	-1%	6%
4	92	0%	4%
5	94	3%	5%
6	93	5%	1%
7	93	1%	-4%
8	95	-1%	-3%
9	95	-3%	-1%
10	91	-4%	4%
11	89	0%	8%
12	89	3%	4%
13	92	5%	-5%
14	88	4%	-7%
15	93	1%	-5%
16	88	-2%	-8%

2400K HO ENC/TL

2418 K

CRI: 92.1
 CRI R9: 62.4
 TM30 Rf: 92.0
 TM30 Rg: 99.7
 CQS: 88.2
 X: 0.488
 Y: 0.419
 U: 0.276
 V: 0.357
 Δuv: 0.0015






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
92.4	94.6	94.7	93.1	91.1	93.6	93.7	83.4	62.4	85.7	93.2	79.4	92.8	95.7	88.5	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
86.6	93.0	86.6	86.5	88.2	87.4	87.4	90.3	93.8	91.0	89.1	89.9	90.3	84.8	85.5	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
91.6	92.1	88.5	93.4	94.5	94.6	94.3	96.4	94.9	90.7	89.2	89.9	91.9	87.5	93.5	88.2

TM30			
Hue Bin	R _f	Chroma	Hue
1	92	-4%	-1%
2	92	-4%	2%
3	89	-2%	5%
4	93	-1%	3%
5	95	2%	4%
6	95	3%	1%
7	94	0%	-3%
8	96	-1%	-2%
9	95	-3%	0%
10	91	-3%	5%
11	89	1%	8%
12	90	3%	3%
13	92	4%	-6%
14	88	4%	-8%
15	93	0%	-4%
16	88	-3%	-8%

2400K VHO ENC/TL

2402 K

CRI: 92.4
 CRI R9: 63.8
 TM30 Rf: 91.1
 TM30 Rg: 101.6
 CQS: 87.3
 X: 0.486
 Y: 0.414
 U: 0.278
 V: 0.355
 Δuv: -0.0004



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
93.1	95.5	95.0	92.9	91.9	94.5	92.9	83.5	63.8	87.2	93.1	82.8	93.7	95.8	89.6	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
85.3	92.9	85.5	85.9	87.9	86.0	83.8	87.1	94.3	89.6	89.5	89.7	90.1	85.7	85.2	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
91.6	91.7	85.9	91.3	93.0	91.8	91.1	93.5	94.8	91.6	89.8	89.3	91.3	86.9	92.3	88.5

TM30			
Hue Bin	R _f	Chroma	Hue
1	92	-4%	-1%
2	92	-4%	3%
3	86	-1%	7%
4	91	2%	5%
5	93	4%	5%
6	92	6%	0%
7	91	2%	-5%
8	94	0%	-4%
9	95	-3%	-1%
10	92	-3%	4%
11	90	0%	7%
12	89	3%	4%
13	91	5%	-6%
14	87	4%	-8%
15	92	1%	-5%
16	88	-2%	-8%




LUME-01-SW Q-CAP Flexible Fixtures



2700K SO ENC/TL

2783 K

CRI: 96.6
 CRI R9: 90.8
 TM30 Rf: 94.0
 TM30 Rg: 101.1
 CQS: 93.5
 X: 0.455
 Y: 0.412
 U: 0.259
 V: 0.351
 Δuv: 0.0009






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
97.9	96.7	93.1	97.9	96.4	94.8	98.7	97.2	90.8	90.4	97.3	79.1	97.4	95.1	97.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
95.2	97.1	88.6	89.6	93.3	93.3	91.6	95.0	95.3	94.4	94.8	95.8	96.5	95.6	95.6	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.3	97.2	94.4	94.1	94.5	96.2	94.3	98.3	95.7	90.4	88.5	90.9	96.1	92.9	95.4	89.7

TM30			
Hue Bin	R _f	Chroma	Hue
1	96	-1%	0%
2	97	-1%	0%
3	94	-1%	2%
4	94	-2%	1%
5	95	0%	3%
6	96	2%	1%
7	94	-1%	0%
8	98	0%	-1%
9	96	-1%	2%
10	90	-1%	6%
11	89	2%	9%
12	91	4%	4%
13	96	3%	0%
14	93	5%	-3%
15	95	0%	-1%
16	90	2%	-8%

2700K HO ENC/TL

2776 K

CRI: 96.6
 CRI R9: 90.5
 TM30 Rf: 93.9
 TM30 Rg: 101.5
 CQS: 93.1
 X: 0.454
 Y: 0.409
 U: 0.259
 V: 0.351
 Δuv: 0.0002






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
97.9	97.0	93.3	97.5	96.5	95.1	98.4	96.8	90.5	90.8	96.9	80.3	97.6	95.2	97.3	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
95.4	97.1	88.2	89.2	93.1	92.8	90.5	94.1	95.4	93.8	94.6	95.8	96.6	95.5	95.4	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.4	97.0	93.6	94.2	94.5	95.6	94.6	97.6	96.3	91.3	88.7	90.8	95.8	92.8	95.7	90.0

TM30			
Hue Bin	R _f	Chroma	Hue
1	96	-1%	0%
2	97	-1%	1%
3	94	0%	3%
4	94	-2%	2%
5	94	0%	3%
6	96	3%	0%
7	95	0%	0%
8	98	0%	-1%
9	96	-1%	1%
10	91	-1%	6%
11	89	1%	8%
12	91	4%	4%
13	96	3%	0%
14	93	5%	-3%
15	96	0%	-1%
16	90	2%	-8%

2700K VHO ENC/TL

2719 K

CRI: 97.8
 CRI R9: 95.7
 TM30 Rf: 95.2
 TM30 Rg: 102.7
 CQS: 94.0
 X: 0.458
 Y: 0.408
 U: 0.262
 V: 0.351
 Δuv: -0.0006



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
99.7	98.3	93.8	97.2	99.3	97.4	98.3	98.9	95.7	94.1	95.6	86.7	99.7	95.4	99.4	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
96.0	97.0	90.2	92.4	95.2	92.3	90.4	94.6	95.6	94.4	95.7	96.8	97.5	96.5	96.3	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
97.6	98.3	95.0	95.3	95.1	94.2	95.6	96.1	97.6	95.1	92.1	92.5	95.9	94.0	96.1	91.8

TM30			
Hue Bin	R _f	Chroma	Hue
1	98	-1%	-1%
2	98	0%	0%
3	95	0%	2%
4	95	0%	2%
5	95	2%	3%
6	94	4%	1%
7	96	2%	-1%
8	96	1%	-2%
9	98	0%	0%
10	95	-1%	3%
11	92	1%	6%
12	93	4%	2%
13	96	3%	-1%
14	94	4%	-2%
15	96	1%	-1%
16	92	2%	-6%




LUME-01-SW Q-CAP Flexible Fixtures



3000K SO ENC/TL

3068 K

CRI: 94.7
 CRI R9: 85.3
 TM30 Rf: 92.8
 TM30 Rg: 100.1
 CQS: 92.8
 X: 0.436
 Y: 0.410
 U: 0.247
 V: 0.349
 Δuv: 0.0026






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
95.4	94.8	92.2	96.1	93.6	91.8	98.6	95.2	85.3	86.2	95.3	73.0	94.9	94.8	94.5	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.6	97.6	87.5	87.7	91.4	92.3	92.7	95.7	95.2	94.1	93.5	94.6	95.5	94.4	95.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.0	95.9	93.5	94.1	92.5	96.7	93.9	97.3	93.6	86.8	86.0	90.7	96.1	92.4	92.9	89.1

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-2%	0%
2	96	-2%	0%
3	93	-1%	3%
4	94	-2%	2%
5	93	-3%	2%
6	97	1%	1%
7	94	-2%	0%
8	97	-1%	0%
9	94	-2%	4%
10	87	-2%	8%
11	86	1%	10%
12	91	5%	4%
13	96	2%	0%
14	92	6%	-3%
15	93	1%	-3%
16	89	2%	-9%

3000K HO ENC/TL

3066 K

CRI: 94.6
 CRI R9: 85.0
 TM30 Rf: 93.0
 TM30 Rg: 100.1
 CQS: 92.7
 X: 0.436
 Y: 0.410
 U: 0.247
 V: 0.349
 Δuv: 0.0025






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
95.2	94.6	92.1	95.9	93.4	91.7	98.4	95.1	85.0	85.8	95.1	73.5	94.7	94.7	94.3	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.8	97.7	87.5	87.8	91.3	92.1	92.5	95.5	95.2	94.0	93.4	94.4	95.4	94.2	94.9	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.1	95.9	93.3	94.2	92.9	96.6	94.3	97.4	94.0	87.2	86.3	90.9	96.1	92.7	93.3	89.6

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-2%	0%
2	96	-2%	0%
3	93	-1%	3%
4	94	-2%	2%
5	93	-2%	2%
6	97	1%	1%
7	94	-2%	0%
8	97	-1%	0%
9	94	-2%	3%
10	87	-2%	7%
11	86	1%	10%
12	91	5%	4%
13	96	2%	0%
14	93	5%	-2%
15	93	1%	-3%
16	90	2%	-8%

3000K VHO ENC/TL

3021 K

CRI: 95.4
 CRI R9: 85.9
 TM30 Rf: 93.6
 TM30 Rg: 100.1
 CQS: 93.2
 X: 0.438
 Y: 0.408
 U: 0.249
 V: 0.349
 Δuv: 0.0015



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
96.3	95.9	93.0	96.6	94.6	93.4	98.6	95.2	85.9	88.2	95.8	77.2	96.0	95.2	95.4	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.8	97.5	88.4	88.6	92.0	93.0	92.7	95.4	95.5	94.3	94.3	95.4	96.1	94.6	94.9	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.5	96.3	93.9	94.7	93.4	96.8	94.6	97.7	94.5	88.3	87.8	91.0	96.2	93.1	93.7	90.5

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-2%	0%
2	96	-2%	1%
3	94	-1%	3%
4	95	-2%	2%
5	93	-2%	2%
6	97	1%	1%
7	95	-2%	0%
8	98	-1%	0%
9	94	-2%	3%
10	88	-2%	7%
11	88	1%	9%
12	91	4%	4%
13	96	2%	0%
14	93	5%	-3%
15	94	1%	-3%
16	90	2%	-8%




LUME-01-SW Q-CAP Flexible Fixtures



3500K SO ENC/TL

3636 K

CRI: 97.9
 CRI R9: 97.7
 TM30 Rf: 93.0
 TM30 Rg: 99.4
 CQS: 95.8
 X: 0.399
 Y: 0.391
 U: 0.232
 V: 0.340
 Δuv: 0.0013






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
99.1	98.9	95.6	98.8	97.5	96.6	98.5	98.1	97.7	95.5	98.6	76.1	99.3	96.8	97.2	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
93.4	98.5	91.8	91.2	94.3	96.6	98.1	99.2	98.1	98.0	98.7	98.6	98.7	98.9	96.8	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.2	97.5	96.6	93.4	91.9	96.2	93.1	95.0	91.7	87.6	88.1	92.6	96.1	93.0	91.5	90.8

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-1%	0%
2	98	0%	-1%
3	97	0%	0%
4	93	-3%	-2%
5	92	-6%	0%
6	96	-2%	1%
7	93	-4%	3%
8	95	-1%	3%
9	92	-1%	6%
10	88	1%	9%
11	88	4%	7%
12	93	4%	2%
13	96	1%	-2%
14	93	4%	-3%
15	92	1%	-2%
16	91	2%	-5%

3500K HO ENC/TL

3617 K

CRI: 97.9
 CRI R9: 95.9
 TM30 Rf: 93.3
 TM30 Rg: 99.5
 CQS: 95.8
 X: 0.400
 Y: 0.390
 U: 0.233
 V: 0.340
 Δuv: 0.0008






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
99.1	98.9	95.7	98.7	97.4	96.6	98.7	98.0	95.9	95.2	98.4	77.1	99.4	96.8	97.4	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
93.9	98.6	91.5	91.0	94.2	96.6	97.6	98.8	98.1	98.2	98.6	99.2	99.3	98.7	97.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.3	97.6	96.5	93.8	92.5	96.5	93.9	95.5	92.3	88.1	88.4	92.7	96.2	93.1	91.9	91.2

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-1%	0%
2	98	0%	0%
3	97	0%	0%
4	94	-3%	-1%
5	92	-5%	0%
6	97	-1%	1%
7	94	-3%	3%
8	95	-1%	3%
9	92	-1%	5%
10	88	0%	8%
11	88	4%	7%
12	93	4%	2%
13	96	1%	-2%
14	93	4%	-3%
15	92	1%	-2%
16	91	1%	-4%

3500K VHO ENC/TL

3545 K

CRI: 98.2
 CRI R9: 98.8
 TM30 Rf: 93.5
 TM30 Rg: 99.9
 CQS: 96.0
 X: 0.403
 Y: 0.388
 U: 0.235
 V: 0.340
 Δuv: -0.0005



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.4	99.8	96.3	99.3	98.1	97.1	98.5	98.2	98.8	97.8	98.3	78.9	98.7	97.0	97.2	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.0	98.6	92.0	91.5	94.6	97.3	97.7	98.9	98.1	98.5	98.9	99.8	99.4	98.2	96.8	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.4	97.5	96.8	94.0	92.6	97.2	93.5	95.5	92.4	88.6	89.0	93.0	96.1	93.4	92.1	91.6

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	0%	1%
2	98	0%	-1%
3	97	0%	0%
4	94	-3%	-1%
5	93	-5%	0%
6	97	-1%	1%
7	93	-3%	3%
8	96	-1%	3%
9	92	0%	5%
10	89	1%	8%
11	89	4%	7%
12	93	4%	1%
13	96	1%	-2%
14	93	4%	-3%
15	92	1%	-2%
16	92	1%	-4%




LUME-01-SW Q-CAP Flexible Fixtures



4000K SO ENC/TL

3778 K

CRI: 97.3
 CRI R9: 95.5
 TM30 Rf: 91.6
 TM30 Rg: 98.4
 CQS: 94.8
 X: 0.391
 Y: 0.384
 U: 0.229
 V: 0.338
 Δuv: 0.0005






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.6	99.6	97.4	96.5	96.4	96.5	96.9	96.4	95.5	96.8	97.8	73.7	99.3	97.8	96.4	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
91.5	97.6	91.2	89.2	91.7	94.0	98.0	98.4	98.6	98.4	98.6	99.4	99.8	98.2	95.8	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
93.8	96.7	96.3	92.2	90.5	95.1	92.1	91.0	87.7	86.6	87.0	92.2	95.2	92.0	90.4	89.8

TM30			
Hue Bin	R _f	Chroma	Hue
1	94	-1%	1%
2	97	0%	0%
3	96	-1%	0%
4	92	-4%	-2%
5	91	-7%	-1%
6	95	-3%	1%
7	92	-4%	3%
8	91	-2%	5%
9	88	-1%	9%
10	87	0%	9%
11	87	5%	8%
12	92	4%	1%
13	95	1%	-3%
14	92	4%	-4%
15	90	0%	-3%
16	90	1%	-5%

4000K HO ENC/TL

3762 K

CRI: 97.1
 CRI R9: 94.0
 TM30 Rf: 91.3
 TM30 Rg: 98.2
 CQS: 94.5
 X: 0.392
 Y: 0.384
 U: 0.230
 V: 0.338
 Δuv: 0.0002






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.5	99.8	97.6	96.0	96.2	96.4	96.4	95.8	94.0	97.0	97.0	73.8	99.3	97.9	96.4	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
91.2	97.4	91.1	88.6	91.0	93.2	97.7	98.1	98.7	98.5	98.2	99.1	99.5	97.8	95.5	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
93.4	96.4	96.2	91.9	90.3	94.8	90.3	92.5	88.8	84.5	86.8	92.2	94.9	91.8	90.1	89.6

TM30			
Hue Bin	R _f	Chroma	Hue
1	93	-1%	1%
2	96	0%	0%
3	96	-1%	0%
4	92	-4%	-1%
5	90	-7%	-1%
6	95	-3%	1%
7	90	-5%	4%
8	92	-2%	4%
9	89	-1%	8%
10	84	1%	11%
11	87	5%	8%
12	92	4%	1%
13	95	0%	-3%
14	92	4%	-4%
15	90	0%	-3%
16	90	1%	-5%

4000K VHO ENC/TL

3781 K

CRI: 97.3
 CRI R9: 96.0
 TM30 Rf: 91.7
 TM30 Rg: 98.2
 CQS: 94.9
 X: 0.391
 Y: 0.383
 U: 0.229
 V: 0.337
 Δuv: 0.0001



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.6	99.5	98.0	96.4	96.6	96.8	96.2	96.2	96.0	98.5	98.1	75.7	99.1	98.1	96.5	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
91.3	97.1	92.3	89.8	91.6	93.7	98.4	98.6	98.8	98.8	98.9	99.8	99.9	97.9	95.6	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
93.8	96.6	96.5	92.2	90.5	94.8	91.8	90.6	87.6	86.8	87.9	92.8	94.8	92.4	90.6	90.2

TM30			
Hue Bin	R _f	Chroma	Hue
1	94	-1%	1%
2	97	0%	0%
3	97	-1%	-1%
4	92	-4%	-3%
5	90	-7%	-1%
6	95	-3%	1%
7	92	-4%	3%
8	91	-2%	5%
9	88	-1%	9%
10	87	1%	8%
11	88	5%	7%
12	93	4%	0%
13	95	0%	-3%
14	92	3%	-4%
15	91	0%	-2%
16	90	1%	-4%