

LALO-FLAT (01) Linear Fixtures






STATIC WHITE - 5.0W/FT

LL1SW-5.0-30-DRY-STD-CL

3126 K

CRI: 98.3
 CRI R9: 95.6
 TM30 Rf: 94.2
 TM30 Rg: 100.5
 CQS: 95.4
 X: 0.428
 Y: 0.400
 U: 0.247
 V: 0.345
 Δuv: -0.0005






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.5	99.7	96.6	99.2	98.7	97.4	98.5	98.0	95.6	98.3	97.0	82.6	98.7	97.1	98.4	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
93.4	96.9	92.0	92.3	95.2	98.0	95.9	97.4	97.3	97.4	98.0	98.2	98.2	96.6	95.6	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.0	97.8	96.9	94.9	93.5	97.3	93.4	97.7	93.6	90.5	90.8	92.2	95.3	93.0	92.3	90.2

TM30			
Hue Bin	R _f	Chroma	Hue
1	96	-1%	1%
2	98	0%	0%
3	97	0%	0%
4	95	-3%	-1%
5	94	-5%	1%
6	97	0%	1%
7	93	-2%	3%
8	98	0%	1%
9	94	0%	5%
10	91	1%	6%
11	91	3%	6%
12	92	5%	0%
13	95	1%	-3%
14	93	4%	-4%
15	92	0%	-2%
16	90	2%	-8%

LL1SW-5.0-30-DRY-STD-FR

3120 K

CRI: 98.2
 CRI R9: 96.5
 TM30 Rf: 94.3
 TM30 Rg: 100.8
 CQS: 95.4
 X: 0.428
 Y: 0.398
 U: 0.247
 V: 0.345
 Δuv: -0.0010






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.2	99.4	96.8	98.9	98.6	97.1	98.5	98.4	96.5	99.0	96.5	83.0	98.3	97.2	98.3	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
93.7	97.0	91.8	92.4	95.4	98.3	95.6	97.3	97.3	97.3	97.9	98.4	98.4	96.5	95.7	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.1	97.8	96.8	95.1	93.6	97.3	93.4	97.9	93.8	90.8	90.9	92.1	95.3	93.0	92.4	90.1

TM30			
Hue Bin	R _f	Chroma	Hue
1	96	-1%	1%
2	98	0%	0%
3	97	0%	0%
4	95	-2%	-1%
5	94	-4%	1%
6	97	0%	1%
7	93	-2%	3%
8	98	0%	1%
9	94	0%	4%
10	91	1%	6%
11	91	3%	6%
12	92	5%	0%
13	95	1%	-3%
14	93	4%	-4%
15	92	0%	-2%
16	90	2%	-8%

LL1SW-5.0-30-DRY-STD-PR

3134 K

CRI: 98.2
 CRI R9: 97.6
 TM30 Rf: 94.4
 TM30 Rg: 101.0
 CQS: 95.5
 X: 0.427
 Y: 0.398
 U: 0.247
 V: 0.345
 Δuv: -0.0011



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.0	99.4	96.5	98.6	98.5	97.2	98.8	98.8	97.6	98.9	96.4	83.2	98.2	97.0	98.1	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.0	97.1	91.8	92.4	95.6	98.3	95.5	97.3	97.2	97.2	97.9	98.3	98.3	96.5	95.9	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.3	97.9	96.8	95.3	93.7	97.2	93.5	98.1	94.1	91.0	91.0	92.3	95.6	93.2	92.6	90.3

TM30			
Hue Bin	R _f	Chroma	Hue
1	96	0%	1%
2	98	0%	0%
3	97	0%	0%
4	95	-2%	-1%
5	94	-4%	1%
6	97	0%	1%
7	94	-2%	3%
8	98	0%	1%
9	94	0%	4%
10	91	1%	5%
11	91	3%	6%
12	92	5%	0%
13	96	1%	-3%
14	93	4%	-3%
15	93	0%	-2%
16	90	2%	-8%

LALO-FLAT (01) Linear Fixtures



LL1SW-5.0-30-DRY-STD-DF

3110 K

CRI: 98.2

CRI R9: 96.5

TM30 Rf: 94.4

TM30 Rg: 100.9

CQS: 95.4




X: 0.428

Y: 0.398

U: 0.247

V: 0.345

Δu_{uv} : -0.0011



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.2	99.3	96.8	98.8	98.6	97.2	98.5	98.4	96.5	98.9	96.6	83.5	98.3	97.1	98.4	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.0	97.0	91.8	92.4	95.5	98.2	95.4	97.1	97.3	97.1	97.7	98.4	98.5	96.4	95.8	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.3	97.9	96.8	95.3	93.8	97.3	93.6	98.1	94.1	91.1	91.1	92.3	95.4	93.1	92.6	90.3

TM30			
Hue Bin	R _f	Chroma	Hue
1	96	-1%	1%
2	98	0%	0%
3	97	0%	0%
4	95	-2%	-1%
5	94	-4%	1%
6	97	0%	1%
7	94	-2%	3%
8	98	0%	1%
9	94	0%	4%
10	91	1%	5%
11	91	3%	6%
12	92	5%	0%
13	95	1%	-3%
14	93	4%	-4%
15	93	0%	-2%
16	90	2%	-8%

LALO-FLAT (01) Linear Fixtures






STATIC WHITE - 6.0W/FT

LL1SW-6.0-30-DRY-STD-CL

3123 K

CRI: 98.4
 CRI R9: 93.9
 TM30 Rf: 94.7
 TM30 Rg: 100.9
 CQS: 95.6
 X: 0.428
 Y: 0.400
 U: 0.247
 V: 0.345
 Δuv: -0.0005






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.8	99.7	96.4	98.9	99.1	97.6	98.6	97.7	93.9	97.6	96.6	84.3	99.1	97.0	98.7	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.4	97.1	92.0	92.8	96.1	97.7	95.5	97.3	97.2	97.0	97.8	98.4	98.4	96.6	95.9	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.5	98.0	96.9	95.9	94.1	97.4	94.2	98.3	94.9	91.8	91.4	92.5	95.5	93.0	92.9	90.3

TM30			
Hue Bin	R _f	Chroma	Hue
1	96	-1%	0%
2	98	0%	0%
3	97	0%	1%
4	96	-2%	-1%
5	94	-4%	1%
6	97	1%	1%
7	94	-2%	2%
8	98	0%	1%
9	95	0%	4%
10	92	1%	5%
11	91	3%	6%
12	92	5%	0%
13	95	2%	-3%
14	93	4%	-4%
15	93	0%	-2%
16	90	2%	-8%

LL1SW-6.0-30-DRY-STD-FR

3134 K

CRI: 98.4
 CRI R9: 94.7
 TM30 Rf: 94.9
 TM30 Rg: 101.1
 CQS: 95.6
 X: 0.427
 Y: 0.399
 U: 0.246
 V: 0.345
 Δuv: -0.0005






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.9	99.6	96.0	98.8	99.2	97.6	98.9	98.2	94.7	97.2	96.6	84.2	99.2	96.8	98.8	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.8	97.3	91.7	92.7	96.2	97.3	95.2	97.2	97.1	96.8	97.6	98.4	98.4	96.8	96.2	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.8	98.1	96.8	96.1	94.2	97.3	94.4	98.5	95.3	92.1	91.3	92.6	95.7	93.2	93.2	90.4

TM30			
Hue Bin	R _f	Chroma	Hue
1	97	-1%	0%
2	98	0%	0%
3	97	0%	1%
4	96	-2%	0%
5	94	-3%	1%
6	97	1%	1%
7	94	-1%	2%
8	98	0%	1%
9	95	0%	3%
10	92	0%	5%
11	91	2%	6%
12	93	5%	1%
13	96	2%	-2%
14	93	4%	-3%
15	93	0%	-2%
16	90	2%	-8%

LL1SW-6.0-30-DRY-STD-PR

3111 K

CRI: 98.4
 CRI R9: 94.0
 TM30 Rf: 94.8
 TM30 Rg: 100.9
 CQS: 95.6
 X: 0.429
 Y: 0.400
 U: 0.247
 V: 0.346
 Δuv: -0.0004



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.9	99.6	96.1	98.9	99.2	97.7	98.8	97.9	94.0	97.2	96.8	84.3	99.2	96.8	98.8	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.5	97.2	91.9	92.8	96.1	97.5	95.4	97.3	97.1	96.9	97.7	98.3	98.2	96.7	96.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.6	98.1	96.9	96.0	94.1	97.4	94.4	98.4	95.0	91.9	91.4	92.6	95.6	93.1	93.1	90.4

TM30			
Hue Bin	R _f	Chroma	Hue
1	97	-1%	0%
2	98	0%	0%
3	97	0%	1%
4	96	-2%	-1%
5	94	-3%	1%
6	97	1%	1%
7	94	-2%	2%
8	98	0%	1%
9	95	0%	4%
10	92	0%	5%
11	91	2%	6%
12	93	5%	0%
13	96	2%	-3%
14	93	4%	-4%
15	93	0%	-2%
16	90	2%	-8%

LALO-FLAT (01) Linear Fixtures



LL1SW-6.0-30-DRY-STD-DF

3102 K

CRI: 98.4

CRI R9: 94.5

TM30 Rf: 94.8

TM30 Rg: 101.1

CQS: 95.6




X: 0.429

Y: 0.400

U: 0.247

V: 0.346

Δu_{uv} : -0.0006



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.8	99.7	96.1	98.7	99.2	97.6	98.8	98.1	94.5	97.4	96.5	84.2	99.0	96.8	98.8	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
94.6	97.2	91.7	92.7	96.1	97.4	95.2	97.2	97.1	96.8	97.7	98.4	98.3	96.6	96.1	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
96.6	98.1	96.8	96.0	94.1	97.3	94.2	98.4	95.0	91.9	91.3	92.5	95.6	93.1	93.0	90.2

TM30			
Hue Bin	R _f	Chroma	Hue
1	97	-1%	0%
2	98	0%	0%
3	97	0%	1%
4	96	-2%	-1%
5	94	-3%	1%
6	97	1%	1%
7	94	-1%	2%
8	98	0%	1%
9	95	0%	3%
10	92	1%	5%
11	91	3%	6%
12	92	5%	0%
13	96	2%	-3%
14	93	4%	-4%
15	93	0%	-2%
16	90	2%	-8%

LALO-FLAT (01) Linear Fixtures






STATIC WHITE HIGH EFFICACY - 6.0W/FT

LL1SW-6.0HE-30-DRY-STD-CL

3127 K

CRI: 97.9
 CRI R9: 95.0
 TM30 Rf: 93.1
 TM30 Rg: 99.7
 CQS: 94.9
 X: 0.427
 Y: 0.399
 U: 0.247
 V: 0.345
 Auv: -0.0007






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.3	99.1	97.8	99.0	98.0	96.8	97.2	97.0	95.0	99.7	98.1	81.0	98.3	97.7	97.9	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
91.6	96.4	92.3	91.5	93.4	95.9	96.8	97.3	97.7	97.9	98.1	98.4	98.5	96.1	94.6	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
94.8	97.2	96.7	93.1	92.5	96.9	90.9	96.2	91.4	88.3	90.1	91.6	94.4	92.5	91.2	89.9

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-1%	1%
2	97	0%	0%
3	97	0%	0%
4	93	-3%	-2%
5	93	-6%	0%
6	97	-1%	1%
7	91	-4%	4%
8	96	-1%	2%
9	91	0%	6%
10	88	2%	7%
11	90	4%	6%
12	92	6%	-1%
13	94	1%	-4%
14	92	3%	-4%
15	91	-1%	-1%
16	90	2%	-8%

LL1SW-6.0-30HE-DRY-STD-FR

3122 K

CRI: 98.0
 CRI R9: 95.8
 TM30 Rf: 93.3
 TM30 Rg: 99.8
 CQS: 95.0
 X: 0.428
 Y: 0.400
 U: 0.247
 V: 0.346
 Auv: -0.0005



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
98.3	99.2	97.4	99.0	98.1	97.0	97.6	97.5	95.8	99.4	97.7	81.2	98.3	97.5	97.9	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
91.8	96.5	92.3	91.8	93.8	96.3	96.8	97.5	97.5	97.9	98.3	98.1	98.2	96.3	94.8	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
95.0	97.3	96.7	93.3	92.6	97.0	91.3	96.4	91.7	88.7	90.2	91.8	94.7	92.6	91.4	90.0

TM30			
Hue Bin	R _f	Chroma	Hue
1	95	-1%	1%
2	97	0%	0%
3	97	0%	0%
4	93	-3%	-2%
5	93	-6%	0%
6	97	-1%	1%
7	91	-4%	4%
8	96	0%	2%
9	92	0%	6%
10	89	1%	7%
11	90	4%	6%
12	92	6%	0%
13	95	1%	-4%
14	93	3%	-4%
15	91	-1%	-1%
16	90	2%	-8%

LALO-FLAT (01) Linear Fixtures






RGB - 6.0W/FT

LL1RGB-6.0-GR-DRY-STD-DF



CRI: 0.0
 CRI R9: 0.0
 TM30 Rf: 0.0
 TM30 Rg: 0.0
 CQS: 0.0
 X: 0.185
 Y: 0.698
 U: 0.067
 V: 0.380
 Δuv: n/a






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TM30			
Hue Bin	R _f	Chroma	Hue
1	0	0%	0%
2	0	0%	0%
3	0	0%	0%
4	0	0%	0%
5	0	0%	0%
6	0	0%	0%
7	0	0%	0%
8	0	0%	0%
9	0	0%	0%
10	0	0%	0%
11	0	0%	0%
12	0	0%	0%
13	0	0%	0%
14	0	0%	0%
15	0	0%	0%
16	0	0%	0%

LL1RGB-6.0-BL-DRY-STD-DF




CRI: 0.0
 CRI R9: 0.0
 TM30 Rf: 0.0
 TM30 Rg: 0.0
 CQS: 0.0
 X: 0.131
 Y: 0.089
 U: 0.137
 V: 0.140
 Δuv: n/a






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TM30			
Hue Bin	R _f	Chroma	Hue
1	0	0%	0%
2	0	0%	0%
3	0	0%	0%
4	0	0%	0%
5	0	0%	0%
6	0	0%	0%
7	0	0%	0%
8	0	0%	0%
9	0	0%	0%
10	0	0%	0%
11	0	0%	0%
12	0	0%	0%
13	0	0%	0%
14	0	0%	0%
15	0	0%	0%
16	0	0%	0%

LL1RGB-6.0-RD-DRY-STD-DF



CRI: 0.0
 CRI R9: 0.0
 TM30 Rf: 0.0
 TM30 Rg: 0.0
 CQS: 0.0
 X: 0.663
 Y: 0.299
 U: 0.504
 V: 0.341
 Δuv: n/a



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TM30			
Hue Bin	R _f	Chroma	Hue
1	0	0%	0%
2	0	0%	0%
3	0	0%	0%
4	0	0%	0%
5	0	0%	0%
6	0	0%	0%
7	0	0%	0%
8	0	0%	0%
9	0	0%	0%
10	0	0%	0%
11	0	0%	0%
12	0	0%	0%
13	0	0%	0%
14	0	0%	0%
15	0	0%	0%
16	0	0%	0%

LALO-FLAT (01) Linear Fixtures






RGBW - 6.0W/FT

LL1RGBW-6.0-30-DRY-STD-CL

3155 K

CRI: 93.3
 CRI R9: 72.4
 TM30 Rf: 91.3
 TM30 Rg: 101.3
 CQS: 90.5
 X: 0.425
 Y: 0.397
 U: 0.246
 V: 0.345
 Δuv: -0.0010






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
94.4	95.2	93.2	93.9	93.0	92.5	95.2	88.9	72.4	86.4	93.3	74.9	94.6	95.2	92.7	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
92.2	97.6	84.4	85.2	90.1	90.6	88.6	92.4	95.8	91.6	91.5	92.6	93.8	90.8	91.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
93.0	93.6	88.8	92.1	92.6	93.8	93.9	96.3	94.3	87.0	84.5	89.3	93.6	89.8	91.4	87.2

TM30			
Hue Bin	R _f	Chroma	Hue
1	93	-3%	-1%
2	94	-3%	2%
3	89	-1%	6%
4	92	0%	4%
5	93	1%	3%
6	94	4%	0%
7	94	0%	-2%
8	96	-1%	-2%
9	94	-3%	2%
10	87	-3%	7%
11	85	1%	11%
12	89	6%	4%
13	94	4%	-1%
14	90	7%	-5%
15	91	2%	-5%
16	87	1%	-10%

LL1RGBW-6.0-30-DRY-STD-FR

3139 K

CRI: 93.6
 CRI R9: 73.7
 TM30 Rf: 91.6
 TM30 Rg: 101.4
 CQS: 91.0
 X: 0.427
 Y: 0.399
 U: 0.246
 V: 0.345
 Δuv: -0.0006






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
94.8	95.2	93.3	94.5	93.4	92.7	95.5	89.6	73.7	86.7	94.1	75.2	94.9	95.3	92.8	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
92.4	97.6	85.0	86.1	90.8	90.9	89.0	92.9	95.9	92.0	92.2	93.3	94.3	91.1	91.4	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
93.4	94.0	89.5	92.9	92.4	93.9	94.0	96.5	94.7	87.7	85.1	89.6	93.8	90.1	91.6	87.4

TM30			
Hue Bin	R _f	Chroma	Hue
1	93	-3%	-1%
2	94	-3%	2%
3	89	-1%	5%
4	93	0%	4%
5	92	0%	3%
6	94	4%	0%
7	94	0%	-2%
8	97	-1%	-2%
9	95	-2%	2%
10	88	-3%	7%
11	85	1%	10%
12	90	6%	4%
13	94	4%	-1%
14	90	6%	-5%
15	92	2%	-5%
16	87	1%	-10%

LL1RGBW-6.0-30-DRY-STD-PR

3169 K

CRI: 93.5
 CRI R9: 73.3
 TM30 Rf: 91.4
 TM30 Rg: 101.3
 CQS: 90.8
 X: 0.424
 Y: 0.397
 U: 0.245
 V: 0.345
 Δuv: -0.0009



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
94.7	95.3	93.2	94.2	93.2	92.6	95.4	89.4	73.3	86.6	93.7	74.9	94.8	95.2	92.9	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
92.4	97.7	84.6	85.5	90.4	90.9	89.0	92.7	95.8	91.8	91.8	93.0	94.1	91.0	91.3	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
93.2	93.8	89.2	92.3	92.7	93.9	93.9	96.4	94.4	87.2	84.7	89.4	93.8	90.0	91.5	87.2

TM30			
Hue Bin	R _f	Chroma	Hue
1	93	-3%	-1%
2	94	-3%	2%
3	89	-1%	5%
4	92	0%	4%
5	93	0%	3%
6	94	4%	0%
7	94	0%	-2%
8	96	-1%	-2%
9	94	-2%	2%
10	87	-3%	7%
11	85	1%	11%
12	89	6%	4%
13	94	4%	-1%
14	90	6%	-5%
15	92	2%	-5%
16	87	1%	-10%

LALO-FLAT (01) Linear Fixtures



LL1RGBW-6.0-30-DRY-STD-DF

3155 K

CRI: 93.7

CRI R9: 74.4

TM30 Rf: 91.4

TM30 Rg: 101.8

CQS: 90.6




X: 0.425

Y: 0.396

U: 0.246

V: 0.344

Δu_v : -0.0015



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
95.2	95.5	92.9	94.4	93.7	92.8	95.3	89.8	74.4	86.9	93.8	75.4	95.3	95.0	93.6	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
92.5	97.7	84.2	85.4	90.5	90.7	88.3	92.5	95.6	91.4	91.5	92.8	94.1	91.3	91.5	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
93.5	93.9	88.9	92.0	92.4	93.2	94.0	96.0	94.7	87.5	84.6	89.2	93.6	90.0	91.6	87.3

TM30			
Hue Bin	R _f	Chroma	Hue
1	93	-3%	-1%
2	94	-3%	2%
3	89	-1%	6%
4	92	0%	4%
5	92	1%	3%
6	93	4%	0%
7	94	0%	-3%
8	96	-1%	-2%
9	95	-2%	2%
10	87	-3%	7%
11	85	1%	11%
12	89	6%	5%
13	94	4%	-1%
14	90	7%	-4%
15	92	2%	-5%
16	87	1%	-10%