

WURM-RGBW-HE

Q-CAP Flexible Fixtures




Mounting NOTE: 2 white snug clips provided per first 12", 1 for each additional 12".
Other mounting styles incur additional charge, see price guide for details.

WSCS:

WHITE SNUG CLIP SMALL

- For indoor/outdoor use
- Surface mounting
- Stainless Steel/Corrosion resistant
- Discrete mounting
- White glossy finish




MOUNTING HARDWARE

- #6 - 5/8" (one provided for each clip)
- 832 Silicone (sold separately)

MCS:

MAGNETIC CLIP SMALL

- For indoor/outdoor use
- Steel clip
- Neodymium magnet
- Easy install
- Easily detachable
- Inaccessible locations such as cove area
- White glossy finish



MOUNTING HARDWARE

- #6 - 1 1/4" (one provided for each clip)
- 832 Silicone (sold separately)

WURM-RGBW-HE


Q-CAP Flexible Fixtures



Rated


DRY

- Lengths up to 191"
- Encapsulated in polyurethane
- NOT FIELD CUTTABLE



COMPATIBLE CONNECTORS


BW



BARE WIRE 24"


WET

- Lengths up to 191"
- Encapsulated in polyurethane
- NOT FIELD CUTTABLE




COMPATIBLE CONNECTORS

BW



BARE WIRE 24"

Flexibility



WURM-RGBW-HE

Q-CAP Flexible Fixtures




Lens



ENC/CL Encapsulated in Clear

Light Orientation




Connectors

BW




BARE WIRE 24"

Type



.0" added at end

S1 - Input only



P1 - Input/Output



Connectors/Wire

BW



BARE WIRE

INDOOR

- 24AWG
- DRY / DMP
- 24" Standard length

OUTDOOR

- 22 AWG
- WET
- 24" Standard length