


# RESOURCE GUIDE - MOUNTING FIXTURES - FLEXIBLE - WURM-RGBW



**MOUNTING** NOTE: 2 clips provided per first 12", 1 clip provided per additional 12"

## WHITE SNUG CLIP SMALL

- For indoor/outdoor use
- Surface mounting
- Stainless Steel/Corrosion resistant
- Discrete mounting
- White glossy finish




## MOUNTING HARDWARE

- #6 - 5/8" (one provided for each clip)
- 832 Silicone (sold separately)

## MAGNETIC CLIP SMALL

- For indoor/outdoor use
- Steel clip
- Neodymium magnet
- Easy install
- Easily detachable
- COVE USE ONLY
- White glossy finish



## MOUNTING HARDWARE

- #6 - 1 1/4" (one provided for each clip)
- 832 Silicone (sold separately)


# RESOURCE GUIDE - LINEAR FIXTURES - FLEXIBLE - WURM-RGBW



## RATED


### DRY

- Lengths up to 191"
- Encapsulated in Polyurethane
- NOT FIELD CUTTABLE



## COMPATIBLE CONNECTORS


BW



BARE WIRE 24"


### WET

- Lengths up to 191"
- Encapsulated in Polyurethane
- NOT FIELD CUTTABLE



## COMPATIBLE CONNECTORS

BW



BARE WIRE 24"

# RESOURCE GUIDE - COLOR DATA



## FIXTURES - FLEXIBLE - WURM-RGBW



### RED



**CRI:** 0.0  
**CRI R9:** 0.0  
**TM30 Rf:** 0.0  
**TM30 Rg:** 0.0  
**CQS:** 0.0  
**X:** 0.613  
**Y:** 0.291  
**U:** 0.466  
**V:** 0.331  
**Δuv:** n/a






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TM30			
Hue Bin	R <sub>f</sub>	Chroma	Hue
1	0	0%	0%
2	0	0%	0%
3	0	0%	0%
4	0	0%	0%
5	0	0%	0%
6	0	0%	0%
7	0	0%	0%
8	0	0%	0%
9	0	0%	0%
10	0	0%	0%
11	0	0%	0%
12	0	0%	0%
13	0	0%	0%
14	0	0%	0%
15	0	0%	0%
16	0	0%	0%

### GREEN



**CRI:** 0.0  
**CRI R9:** 0.0  
**TM30 Rf:** 0.0  
**TM30 Rg:** 0.0  
**CQS:** 0.0  
**X:** 0.145  
**Y:** 0.654  
**U:** 0.055  
**V:** 0.372  
**Δuv:** n/a






R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TM30			
Hue Bin	R <sub>f</sub>	Chroma	Hue
1	0	0%	0%
2	0	0%	0%
3	0	0%	0%
4	0	0%	0%
5	0	0%	0%
6	0	0%	0%
7	0	0%	0%
8	0	0%	0%
9	0	0%	0%
10	0	0%	0%
11	0	0%	0%
12	0	0%	0%
13	0	0%	0%
14	0	0%	0%
15	0	0%	0%
16	0	0%	0%

### BLUE



**CRI:** 0.0  
**CRI R9:** 0.0  
**TM30 Rf:** 0.0  
**TM30 Rg:** 0.0  
**CQS:** 0.0  
**X:** 0.140  
**Y:** 0.067  
**U:** 0.159  
**V:** 0.115  
**Δuv:** n/a



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TM30			
Hue Bin	R <sub>f</sub>	Chroma	Hue
1	0	0%	0%
2	0	0%	0%
3	0	0%	0%
4	0	0%	0%
5	0	0%	0%
6	0	0%	0%
7	0	0%	0%
8	0	0%	0%
9	0	0%	0%
10	0	0%	0%
11	0	0%	0%
12	0	0%	0%
13	0	0%	0%
14	0	0%	0%
15	0	0%	0%
16	0	0%	0%

- NOTES:**
- CRI R values, only R1-R8 are used to calculate RA CRI values
  - TM30 C values, 16 binned values out of total of 99 C values
  - CQS Q values
  - Data subject to change, all data has +/- 5% tolerance

# RESOURCE GUIDE - COLOR DATA




## FIXTURES - FLEXIBLE - WURM-RGBW



2700K

2785 K

**CRI:** 93.3  
**CRI R9:** 73.2  
**TM30 Rf:** 86.4  
**TM30 Rg:** 105.4  
**CQS:** 86.0  
**X:** 0.440  
**Y:** 0.385  
**U:** 0.261  
**V:** 0.343  
 **$\Delta uv$ :** -0.0082



R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	
96.0	96.8	94.3	92.0	94.7	94.4	91.5	87.0	73.2	90.1	91.4	82.7	96.5	95.6	95.0	
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	
87.6	96.7	79.7	81.9	88.4	85.2	78.8	85.5	95.7	86.9	85.4	85.6	87.8	89.8	89.1	
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
91.7	89.3	78.3	83.7	86.3	83.5	84.8	88.0	93.1	88.2	81.4	82.7	89.1	86.2	88.4	84.7

TM30			
Hue Bin	Ri	Chroma	Hue
1	92	-4%	-1%
2	89	-3%	5%
3	78	1%	10%
4	84	5%	8%
5	86	9%	6%
6	83	10%	-2%
7	85	5%	-7%
8	88	1%	-7%
9	93	-2%	-2%
10	88	-4%	5%
11	81	-1%	12%
12	83	6%	7%
13	89	7%	0%
14	86	9%	-5%
15	88	3%	-5%
16	85	1%	-11%

**NOTES:**

- CRI R values, only R1-R8 are used to calculate RA CRI values
- TM30 C values, 16 binned values out of total of 99 C values
- CQS Q values
- Data subject to change, all data has +/- 5% tolerance

# RESOURCE GUIDE - FLEXIBLE FIXTURES

## FIXTURES - FLEXIBLE - WURM-RGBW




**LENS** NOTE: Indirect view recommended



**ENC/CL** Encapsulated in Clear

**LIGHT ORIENTATION**




### CONNECTORS

**BW**




BARE WIRE 24"

### TYPE



**S1** - Input only



**P1** - Input/Output



# RESOURCE GUIDE - CONNECTORS/WIRE FIXTURES - FLEXIBLE - WURM-RGBW



## CONNECTORS/WIRE

### BARE WIRE

- Belden Wire
- Outdoor rated
- 24" Standard length

BW



BARE WIRE